

The cassette awning - slim, strong and simply stylish






The cassette awning - slim, strong and simply stylish

| design features | The slim cassette awning with the elegant lines - from the design studio. The cover profile is in the same colour as the cassette; This provides for an homogeneous appearance even when the awning is extended. Attractive, rounded end caps complete the overall appearance of this slim cassette awning. for long lasting attractiveness the awning has been powder costed. |
|----------------------|--|
| | for long-lasting attractiveness the awning has been powder coated. Attractive brackets; Design down to the last detail. |
| technical highlights | Because of its superior design the markilux 5010 belongs to the sturdiest and most stable of awnings on the market in spite of its slender shape. Front profile with integrated gutter and hidden water drainage spouts. When closed the folding arms are protected from the weather by the cassette. The extremely sturdy awning construction makes it possible to shade even very large areas safely. The 85 mm roller tube ensures the highest rigidity and the best possible cover winding characteristics even at the largest widths. |
| optional accessories | In the case of manual operation ease of use is ensured with the spring-assisted gearbox. Hard-wired motor drive (optionally with automatic controls) for simple, relaxed operation. Radio-controlled motor with handheld transmitter for ease of operation - and ergonomically crafted for ease of use. The shadeplus creates an additional room on the patio. Protection from sun, wind and inquisitive glances in one. Awning available in non-standard RAL colours |

 \cdot Awning covers made from acrylic fabric or sunsilk snc with self-cleaning effect \cdot The panel joints of the awning cover are ultrasonically bonded to give a better appearance without bothersome stitching \cdot Manual operation includes a markilux stainless steel winding handle - quality to get to grips with \cdot Folding arms with perfected power transference by means of double, rounded steel-link chains and direct coupling of the springs. The highest safety standards even at large extensions \cdot Folding arms with drop-forged joint components made of aluminium. The pivot bolts sit in Teflon-coated bronze bushes for high stability and longevity \cdot The greater upper to lower arm length ratio ensures high lateral stability in the awning \cdot The use of cam bolts makes fine-tuning of the folding arms a simple procedure \cdot Simply pitch adjustment via the bracket without necessitating readjustment of the front profile \cdot Awnings more than 700 cm wide can be supplied as coupled units. \cdot An easily installed sun and wind sensor provides intelligent control and essential protection \cdot An optional wall sealing profile covers the gap between wall and awning \cdot Available with a valance

folding-arm cassette awning markilux 5010


























markilux 5010 The cassette awning - slim, strong and simply stylish



dimensions in cm

dimensions and configuration options

| | | | | 0\ | verall bl | ind wid | th | | | | minimum w | idth motor ¹⁰ | | manual operation |
|----------------|---------|---------|---------|---------|-----------|---------|---------|---------|-------------|------------|-----------|--------------------------|----------|------------------|
| extension | 250 | 300 | 350 | 400 | 450 | 500 | 550 | 600 | 650 | 70020 | Standard | Bespoke arms | Standard | Bespoke arms |
| extension | 187-250 | 251-300 | 301-350 | 351-400 | 401-450 | 451-500 | 501-550 | 551-600 | 601-650 | 651-700 | | | | |
| 150 | 28) | | | | | | | | | | 200 | 187 | 200 | 187 |
| 200 | 28) | | | | | | | | | | 250 | 237 | 250 | 237 |
| 250 | | 28) | | | | | | | | | 300 | 287 | 300 | 287 |
| 300 | | | 28) | | | | | 17) | 27) 17) | | 350 | 337 | 350 | 337 |
| 3 5017) | | | | 28) | | | | | 20) 21) 55) | | 400 | 387 | 400 | 387 |
| 40017) 19) 25) | | | | | 28) | 24) | Ð | | | 1) 23) 54) | 450 | 437 | 450 | 437 |

with one Rolltex bearing.
 a shadeplus is not available
 a wonings with 4 m extension are only available with motor (surcharge).
 no intermediate sizes possible below the standard width of 650 cm.
 no intermediate sizes possible below the standard width of 700 cm.
 no intermediate sizes possible below the standard width of 700 cm.
 no intermediate sizes possible below the standard width of 700 cm.
 no intermediate sizes possible below the standard width of 700 cm.
 no intermediate sizes possible below the standard width of 700 cm.
 no intermediate sizes possible below the standard width of 700 cm.
 an extension of 400 cm is supplied without interior cover profile.
 with shadeplus, 3 folding arms.
 Please note the minimum widths!
 smallest awning width with 3 arms 700 cm.
 smallest awning width with 3 arms 641 cm.
 Due to the compact awning construction and depending on the width and its available standard available standard available standard available standard available standard width and its available standard available standard stand


Due to the compact awning construction and depending on the width and the arm length, contact between cover and folding arms may occur during extension and retraction. This does not affect the functionality or longevity of the awning.

| , | operation type | |
|-----------------------|--|----------------|
| | manual operation with st. steel winding handle | • |
| | Servo-assisted operation | 0 |
| | radio-controlled motor | 0 |
| | motor | 0 |
| | Shadeplus | |
| | manual operation | 0 |
| | radio-controlled motor | - |
| | motor | - |
| | Lighting | |
| | Halogen Spotlights | - |
| | Fluorescent lighting | - |
| | covers | |
| [| acrylic 34 (fabric series 341xx-347xx) | • |
| | sunsilk SNC (fabric series 324xx/329xx) | • |
| | signature (fabric series 369xx) | • |
| ns | transilk FR (fabric series 319xx) | - |
| tio | transolair (fabric series 339xx) | - |
| do | widely woven acrylic (fabric series 349xx) | - |
| ion | perla FR (fabric series 374xx/379xx) | 0 |
| rat | Soltis 92 | O ² |
| ìgu | PVC fabric | O ² |
| configuration options | miscellaneous | |
| Ŭ | Coverboard | - |
| | Sytem coverboard | - |
| | wall sealing profile | O ³ |
| | Pitch adjustment gear | - |
| | Insertable side blind | 0 |
| | sun and wind sensor | 0 |
| | Valance | 0 |
| | Infrared heater | 0 |
| | Vibrabox / Sunis sun sensor | 0 |
| | Coupled units (please refer to fixture) | |
| | coupled unit 2 fields | 0 |
| | coupled unit 3 fields | 0 |
| | junction roller | 0 |
| | one-piece cover (on request) | 0 |
| | | |

• = fitted as standard • = optional accessory

- = not available ° = PVC/Soltis 92 covers available up to a max. width of 600 cm and a max. arm length of 250 cm.

 O^3 = wall sealing profile effective up to an awning pitch of 35



Definition of extension: The extension is measured with the awning extended at a pitch of approx. 15' from the wall over the cover to the leading edge of the front profile. The extension tolerance is - 40mm / +40mm In the case of manual operation, assume approx. 16 winding handle was built of period and the provided the second seco

revolutions per metre of awning extension. Extension when using a motor takes approximately 12 seconds per metre

Definition of shadeplus drop: The shadeplus drop is measured from the bottom edge of the shadeplus profile to the bottom edge of the valance profile. Because of tolerances in fabric thicknesses the drop may be Shorter by up to 5 cm. A shadeplus with gear is available in drops of 150 cm and 190 cm. A shadeplus is not possible with PVC covers.

A shadeplus with motor is not possible

coupled folding-arm awnings are available up to a max. of 3 single units side by side, however only with $\,\,6$ folding-arms at most and only motorised.

Optionally available with junction roller. Pattern repeat mismatches are possible in the case of junction roller covers

except when the extension is the maximum for the width of each awning (see also arm separation table)

one-piece awning covers only on request.

If coupled awnings are to be fitted into a recess or reveal the overall width of the coupled blind or awning must be at least 6 cm less than the width of the opening to allow the blind/awning to be coupled. Make a special note if the awning is to be fitted into a recess/reveal and note the reveal width separately.

| fram | e colours | |
|------|---|---|
| | RAL 9016 traffic white | ٠ |
| | RAL 8019 grey brown | ٠ |
| | RAL 9006 metallic aluminium | ٠ |
| | RAL 1015 light ivory | ٠ |
| | 5204 Nano anthracite metallic 5204 (Lounge) | 0 |
| | 5215 Nano stone grey metallic 5215 (Lounge) | 0 |
| | 5233 Nano off-white textured finish (Lounge) | 0 |
| | non-standard RAL colour | 0 |

fixings and accessories

| | Face fixture bracket assembly | 6 0 0 0 | Component assembly spreader plate A | () | Component assembly spreader plate B |
|--------|---|----------------|---|---------------|---|
| | 150mm 5 - 35° | 000000 | 160x430x12mm | | 300x400x12mm |
| 77921. | | 75328. | | 75327. | |
| | Top fixture bracket assembly | | Face fixture bracket assembly | | stand-off strip for wall sealing profile |
| | 135mm 5 - 35° | 0 | 150mm 38 - 65° | 500 - 400 | available by the metre Fixture example, see face fixture with wall sealing |
| 77937. | | 77936. | | 751971 | profile |
| | Eaves fixture bracket assembly 5 - 35° | | Top fixture bracket assembly | | reducing bolt assembly M 16 - M 12 / SW 27 50mm length |
| 77939. | | 77938. | 150mm 38 - 65° | 753891 | (please refer to "Technical Information") |
| | Eaves fixture bracket assembly | | Bottom fixture bracket assembly | | reducing bolt assembly M 10 - M 10 / SW 27 |
| 77940. | 270mm | 77941. | 5 - 35° | 754901 | 50mm length (please refer to "Technical Information") |
| 77940. | | 77941. | a | 754901 | |
| | Angle and fixture plate for eaves fixture | 100000 | Spacer plate face/ top fixture | | Reduction assembly M 12 - M 10 / SW 27 |
| 741290 | machine finish | 716331 | 136x150x20mm N.B! stack to a max. of 200 mm | 754911 | 50mm length (please refer to "Technical Information") |
| • 0 | Additional eaves fixture plate | | Spacer plate face/ top fixture | | reducing bolt assembly M 16 - M 10 / SW 27 |
| 0.00 | 60x260x12mm | O O O O | 136x150x12mm | | 50mm length (please refer to "Technical Information") |
| 75383. | | 71644. | | 754921 | / |
| | angled profile | 0 | Cover plate for external insulation | | |
| | 160x160x12mm available by the | 0 0 | 178x190x2mm | | |
| | metre, undrilled | | | | |
| 701809 | | 71837. | | | |

. = Please insert the RAL No. (please refer to the section on "Coatings")


Face fixture

Pull-out force [N=Newton] per fixture point according to EN 13561, wind resistance class 2

| | | | co | mpres | sion-p | oroof s | ubstro | ate | | | | | non | comp | ressio | n-proo | of sub | strate | | |
|----------|-----|-------|-------|-------|--------|---------|--------|------|-------|-------|-----|-------|-------|------|--------|--------|--------|--------|-------|-------|
| | | | | | М [| cm] | | | | | | | | | М [| cm] | | | | |
| | 250 | 300 | 350 | 400 | 450 | 500 | 550 | 600 | 650 | 700 | 250 | 300 | 350 | 400 | 450 | 500 | 550 | 600 | 650 | 700 |
| H [cm] | | | | | FB | [N] | | | | | | | | | FB | [N] | | | | |
| 150 | 505 | 583 | 661 | 739 | 816 | 894 | 972 | 1050 | 1127 | 935 | 578 | 667 | 756 | 845 | 934 | 1023 | 1112 | 1201 | 1290 | 1070 |
| 200 | 834 | 957 | 1079 | 1202 | 1324 | 1447 | 1569 | 1692 | 1815 | 1603 | 955 | 1095 | 1235 | 1376 | 1516 | 1656 | 1796 | 1936 | 2077 | 1834 |
| 250 | | 1364 | 1541 | 1717 | 1894 | 2071 | 2247 | 2424 | 2937 | 2622 | | 1561 | 1763 | 1965 | 2167 | 2370 | 2572 | 2774 | 3361 | 3001 |
| 300 | | | 2079 | 2319 | 2559 | 2799 | 3447 | 3726 | 4004 | 3597 | | | 2379 | 2654 | 2929 | 3204 | 3945 | 4264 | 4582 | 4117 |
| 350 | | | | 3101 | 3415 | 4231 | 4596 | 4961 | 4653 | 4929 | | | | 3549 | 3908 | 4842 | 5260 | 5678 | 5326 | 5642 |
| 400 | | | | | 4874 | 5337 | 5801 | | | 6233 | | | | | 5578 | 6108 | 6638 | | | 7133 |
| HT BHT | | 2 1 | 50 mm | | | 3 1 | 50mm | | 4 1 | 50 mm | | 2 1 | 50 mm | | | 3 1 | 50mm | | 4 1 | 50 mm |
| BM | | 8 | 8 | | | 1 | 2 | | 1 | 6 | | 8 | 8 | | | ۱ | 2 | | 1 | 6 |

The pull-out force refers to the vertical centre to centre measurement between the fixture points of 90 mm. If this measurement is reduced, the pull-out force increases by 2% in the case of compression-proof substrates and by 19% in the case of non-compression-proof substrates.

M = overall awning width H = extension FB = pull-out force per fixing point HT | BHT = bracket quantity | width BM = no. of fixing points WA = wall sealing profile




Face fixture with spreader plate A Pull-out force [N=Newton] per fixture point according to EN 13561, wind resistance class 2

| | | | со | mpres | sion-p | oroof | substr | ate | | I | I | | non | compi | ression | 1-proc | of subs | strate | | |
|----------|------------------------------------|--------|-------|-------|--------|-------|--------|------|------|-------|-----|------|-------|-------|---------|---------|---------|--------|------|-------|
| | | | | | М [| cm] | | | | | | | | | M [| cm] | | | | |
| | 250 | 300 | 350 | 400 | | | 550 | 600 | 650 | 700 | 250 | 300 | 350 | 400 | 450 | 500 | 550 | 600 | 650 | 700 |
| H [cm] | | | | | FB | [N] | | | | | | _ | _ | | FB | [N] | _ | | | |
| 150 | 244 | 282 | 319 | 357 | 394 | 432 | 469 | 507 | 544 | 428 | 347 | 400 | 453 | 507 | 560 | 613 | 667 | 720 | 773 | 608 |
| 200 | 402 | 461 | 520 | 579 | 638 | 697 | 756 | 815 | 874 | 725 | 571 | 655 | 739 | 822 | 906 | 990 | 1074 | 1158 | 1241 | 1031 |
| 250 | 656 741 825 910 995 1080 1165 1412 | | | | | | | | | | | 932 | 1052 | 1173 | 1294 | 1414 | 1535 | 1655 | 2006 | 1699 |
| 300 | | | 998 | 1113 | 1229 | 1344 | 1655 | 1789 | 1922 | 1641 | | | 1418 | 1582 | 1746 | 1910 | 2352 | 2542 | 2732 | 2332 |
| 350 | | | | 1488 | 1638 | 2030 | 2205 | 2380 | 2100 | 2233 | | | | 2114 | 2328 | 2884 | 3133 | 3382 | 2985 | 3174 |
| 400 | | | | | 2337 | 2559 | 2781 | | | 2827 | | | | | 3320 | 3636 | 3952 | | | 4017 |
| HT BHT | | 2 15 | 50 mm | | | 3 15 | 50 mm | | 4 15 | 60 mm | | 2 15 | 50 mm | | | 3 1 5 | 50 mm | | 4 15 | 60 mm |
| BP | 2 2 3 | | | | | | | | | | | : | 2 | | | | 2 | | | 3 |
| DP | | - | | | | | 1 | | | 1 | | - | | | | | | | | 1 |
| ВМ | | 1 | 6 | | | 2 | 0 | | 2 | 8 | | 1 | 6 | | | 2 | 0 | | 2 | 8 |

The pull-out force refers to the vertical centre to centre measurement between the fixture points of 76 mm. In the case of spreader plates a washer conforming to DIN 9021 must be used.

M = overall awning width H = extension FB = pull-out force per fixing point HT | BHT = bracket quantity | width BP = no. of spreader plates DP = no. of spreader plates BM = no. of fixing points WA = wall sealing profile 75197.: stand-off strip for wall sealing profile




Face fixture with spreader plate B

Pull-out force [N=Newton] per fixture point according to EN 13561, wind resistance class 2

| | | | со | mpres | sion-p | proof s | substr | ate | | | 1 | | non c | ompre | ession | -proof | subst | rate | | |
|----------|---|------|-------|-------|--------|---------|--------|------|--------|-------|-----|--------|-------|-------|--------|--------|-------|------|------|-------|
| | | | | | М [| cm] | | | | | | | | | M [| cm] | | | | |
| | 250 | 300 | 350 | 400 | | | 550 | 600 | 650 | 700 | 250 | 300 | 350 | 400 | | | 550 | 600 | 650 | 700 |
| H [cm] | | | | | FB | [N] | | _ | | | | | | | FB | [N] | | | | |
| 150 | 144 | 167 | 189 | 211 | 233 | 255 | 278 | 300 | 322 | 253 | 151 | 174 | 197 | 220 | 243 | 266 | 289 | 313 | 336 | 264 |
| 200 | 238 | 273 | 308 | 342 | 377 | 412 | 447 | 482 | 517 | 429 | 248 | 284 | 321 | 357 | 394 | 430 | 466 | 503 | 539 | 448 |
| 250 | 388 438 488 539 589 639 689 835 | | | | | | | | | | | 405 | 457 | 509 | 562 | 614 | 667 | 719 | 871 | 738 |
| 300 | | - | 591 | 659 | 727 | 795 | 979 | 1059 | 1138 | 971 | | | 616 | 687 | 758 | 829 | 1021 | 1104 | 1186 | 1013 |
| 350 | | | - | 880 | 969 | 1201 | 1305 | 1408 | 1243 | 1322 | | | | 918 | 1011 | 1253 | 1361 | 1469 | 1296 | 1378 |
| 400 | - | 1 | 1 | | 1383 | 1514 | 1646 | | | 1673 | | | | | 1442 | 1579 | 1716 | | | 1744 |
| HT BHT | | 2 15 | 60 mm | | | 3 15 | 50 mm | | 4 15 | 60 mm | | 2 15 | 50 mm | | | 3 15 | 60 mm | | 4 15 | 50 mm |
| BP | 2 2 | | | | | | | | | | | i | 2 | | | : | 2 | | | 3 |
| DP | | - | | | | | 1 | | | 1 | | _ | | | | | | | | 1 |
| BM | | ł | 3 | | | 1 | 2 | | 1 | 6 | | 8 | 3 | | | 1 | 2 | | 1 | 6 |

The pull-out force refers to the vertical centre to centre measurement between the fixture points of **350 mm**. In the case of spreader plates a washer conforming to DIN 9021 must be used.

M = overall awning width H = extension FB = pull-out force per fixing point HT | BHT = bracket quantity | width BP = no. of spreader plates DP = no. of spreader plates BM = no. of fixing points 75197.: stand-off strip for wall sealing profile




markilux 5010

Face fixture with shadeplus Pull-out force [N=Newton] per fixture point according to EN 13561, wind resistance class 2

| | | | со | mpres | sion-p | proof | substr | ate | | ī | I | | non | comp | ressio | n-proc | of subs | strate | | |
|----------|------|------|-------|-------|--------|-------|-----------|------|-------|-------|------|------|---------|------|--------|--------|---------|--------|-------|-------|
| | | | | | - | cm] | | | | | | | | | М [| _ | | | | |
| | 250 | 300 | 350 | 400 | | | 550 | 600 | 650 | 700 | 250 | 300 | 350 | 400 | 450 | 500 | 550 | 600 | 650 | 700 |
| H [cm] | | _ | _ | | FB | [N] | | _ | | | | _ | _ | _ | FB | [N] | _ | _ | | |
| 150 | 818 | 958 | 1098 | 1239 | 1379 | 1519 | 1659 | 1800 | 1940 | 1579 | 936 | 1097 | 1257 | 1418 | 1578 | 1739 | 1899 | 2060 | 2220 | 1807 |
| 200 | 1251 | 1457 | 1663 | 1869 | 2074 | 2280 | 2486 | 2692 | 2898 | 2510 | 1432 | 1667 | 1903 | 2139 | 2374 | 2610 | 2845 | 3081 | 3316 | 2873 |
| 250 | | 1989 | 2270 | 2551 | 2831 | 3112 | 3393 | 3674 | 4291 | 3777 | | 2276 | 2598 | 2919 | 3240 | 3562 | 3883 | 4205 | 4911 | 4322 |
| 300 | | | 2954 | 3319 | 3684 | 4049 | 4822 | | | 4994 | | | 3380 | 3798 | 4216 | 4634 | 5519 | | | 5715 |
| HT BHT | | 2 | 150 n | ım | | З | 8 150 n | nm | 4 1 | 50 mm | | 2 | 2 150 n | nm | | 3 | : 150 n | nm | 4 1 | 50 mm |
| BM | | | 8 | | | | 12 | | 1 | 6 | | | 8 | | | | 12 | | 1 | 6 |

The pull-out force refers to the vertical centre to centre measurement between the fixture points of 90 mm. If this measurement is reduced, the pull-out force increases by 2% in the case of compression-proof substrates and by 19% in the case of non-compression-proof substrates.

M = overall awning width H = extension FB = pull-out force per fixing point HT | BHT = bracket quantity | width BM = no. of fixing points WA = wall sealing profile




Face fixture with shadeplus and spreader plate A Pull-out force [N=Newton] per fixture point according to EN 13561, wind resistance class 2

| | | | co | mpres | sion-p | roof s | ubstro | ate | | | 1 | | non | compr | essior | n-proo | f subs | trate | | |
|----------|--|--------|-------|-------|--------|--------|--------|------|--------|-------|-----|--------|-------|-------|--------|--------|--------|-------|------|-------|
| | | | | | М [| cm] | | | | | | | | | М [| cm] | | | | |
| | 250 | 300 | 350 | 400 | 450 | 500 | 550 | 600 | 650 | 700 | 250 | 300 | 350 | 400 | 450 | 500 | 550 | 600 | 650 | 700 |
| H [cm] | | _ | _ | _ | FB | [N] | _ | | | | | | _ | | FB | [N] | | _ | | |
| 150 | 394 462 529 597 664 732 800 867 503 701 800 800 907 1005 1105 1304 | | | | | | | | | 738 | 560 | 656 | 752 | 848 | 944 | 1040 | 1136 | 1232 | 1328 | 1048 |
| 200 | 602 | 701 | 800 | 899 | 997 | 1096 | 1195 | 1294 | 1 393 | 1161 | 855 | 996 | 1136 | 1277 | 1417 | 1558 | 1699 | 1839 | 1980 | 1650 |
| 250 | | 955 | 1090 | 1225 | 1360 | 1494 | 1629 | 1764 | 2060 | 1749 | | 1357 | 1549 | 1740 | 1932 | 2123 | 2315 | 2507 | 2928 | 2485 |
| 300 | | | 1417 | 1592 | 1767 | 1942 | 2313 | | | 2309 | | | 2014 | 2262 | 2511 | 2760 | 3288 | | | 3282 |
| HT BHT | | 2 15 | 50 mm | | | 3 15 | 60 mm | | 4 15 | 50 mm | | 2 15 | 50 mm | | | 3 15 | 50 mm | | 4 15 | 50 mm |
| BP | | : | 2 | | | : | 2 | | 3 | 3 | | : | 2 | | | : | 2 | | | 3 |
| DP | 1 | | | | | | | | | 1 | | - | | | | | 1 | | | I |
| BM | | 1 | 6 | | | 2 | 0 | | 2 | 8 | | 1 | 6 | | | 2 | 0 | | 2 | 8 |

The pull-out force refers to the vertical centre to centre measurement between the fixture points of 76 mm. In the case of spreader plates a washer conforming to DIN 9021 must be used.

M = overall awning width H = extension FB = pull-out force per fixing point HT | BHT = bracket quantity | width BP = no. of spreader plates DP = no. of spracer plates BM = no. of fixing points WA = wall sealing profile 75197.: stand-off strip for wall sealing profile




Face fixture with shadeplus and spreader plate B Pull-out force [N=Newton] per fixture point according to EN 13561, wind resistance class 2

| | | | со | mpres | sion-p | proof | substr | ate | | | 1 | | non | comp | ressio | n-proc | of sub | strate | | |
|----------|---|--------|-------|-------|--------|-------|--------|------|------|-------|-----|------|-------|------|--------|--------|--------|--------|------|-------|
| | | | | | M [| cm] | | | | | | | | | M [| cm] | | | | |
| | 250 | 300 | 350 | 400 | 450 | 500 | 550 | 600 | 650 | 700 | 250 | 300 | 350 | 400 | 450 | 500 | 550 | 600 | 650 | 700 |
| H [cm] | | | | | FB | [N] | | | | | | | | | FB | [N] | | | | |
| 150 | 233 273 313 353 393 433 473 513 553 | | | | | | | | | | 243 | 285 | 327 | 368 | 410 | 452 | 493 | 535 | 577 | 455 |
| 200 | 356 415 473 532 590 649 707 766 82 | | | | | | | | | 687 | 371 | 432 | 493 | 555 | 616 | 677 | 738 | 799 | 860 | 716 |
| 250 | | 565 | 645 | 725 | 805 | 884 | 964 | 1044 | 1219 | 1035 | | 589 | 673 | 756 | 839 | 922 | 1005 | 1089 | 1272 | 1079 |
| 300 | | | 839 | 942 | 1046 | 1149 | 1369 | 1 | | 1367 | | | 874 | 983 | 1091 | 1199 | 1428 | | | 1425 |
| HT BHT | | 2 15 | 50 mm | | | 3 15 | 50 mm | | 4 15 | 50 mm | | 2 15 | 50 mm | | | 3 15 | 50 mm | | 4 15 | 50 mm |
| BP | 2 2 | | | | | | | | | 3 | | : | 2 | | | : | 2 | | | 3 |
| DP | | 1 | | | | | | | | | | - | | | | | 1 | | | 1 |
| BM | | ł | 3 | | | 1 | 2 | | 1 | 6 | | ł | 8 | | | 1 | 2 | | 1 | 6 |

The pull-out force refers to the vertical centre to centre measurement between the fixture points of 350 mm. In the case of spreader plates a washer conforming to DIN 9021 must be used.

M = overall awning width M = overall awning wiath H = extension FB = pull-out force per fixing point HT | BHT = bracket quantity | width BP = no. of spreader plates DP = no. of spacer plates BM = no. of fixing points 75197.: stand-off strip for wall sealing profile






Top fixture

Pull-out force [N=Newton] per fixture point according to EN 13561, wind resistance class 2

| | | | со | mpres | sion-p | proof s | substr | ate | | | | | non | compr | essio | n-proo | f subs | trate | | |
|----------|-----|--------|-------|-------|--------|---------|--------|------|--------|-------|-----|--------|-------|-------|-------|--------|--------|-------|------|-------|
| | | | | | М [| cm] | | | | | | | | | М [| cm] | | | | |
| | 250 | 300 | 350 | 400 | 450 | 500 | 550 | 600 | 650 | 700 | 250 | 300 | 350 | 400 | 450 | 500 | 550 | 600 | 650 | 700 |
| H [cm] | | | | | | [N] | | | | | | | | | | [N] | | | | |
| 150 | 463 | 537 | 611 | 685 | 759 | 833 | 908 | 982 | 1056 | 916 | 479 | 555 | 632 | 709 | 785 | 862 | 938 | 1015 | 1091 | 945 |
| 200 | 724 | 833 | 943 | 1052 | 1162 | 1271 | 1381 | 1491 | 1600 | 1445 | 750 | 864 | 977 | 1090 | 1204 | 1317 | 1431 | 1544 | 1658 | 1496 |
| 250 | | 1156 | 1308 | 1461 | 1613 | 1766 | 1918 | 2070 | 2489 | 2252 | | 1199 | 1357 | 1515 | 1673 | 1831 | 1989 | 2147 | 2582 | 2335 |
| 300 | | | 1734 | 1937 | 2140 | 2343 | 2869 | 3102 | 3335 | 3025 | | | 1800 | 2011 | 2221 | 2432 | 2978 | 3220 | 3462 | 3139 |
| 350 | | | | 2557 | 2818 | 3477 | 3779 | 4081 | 3849 | 4081 | | | | 2656 | 2926 | 3611 | 3925 | 4238 | 3997 | 4237 |
| 400 | | | | | 3974 | 4354 | 4733 | | | 5114 | | | | | 4129 | 4523 | 4917 | | | 5311 |
| HT BHT | | 2 13 | 85 mm | | | 3 13 | 35 mm | | 4 13 | 85 mm | | 2 13 | 85 mm | | | 3 13 | 85 mm | | 4 13 | 35 mm |
| BM | | | 6 | | | 9 | 9 | | 1 | 2 | | | 5 | | | | 9 | | 1 | 2 |

The pull-out force refers to the horizontal centre to centre measurement between the fixture points of 125 mm.

M = overall awning width H = extension FB = pull-out force per fixing point HT | BHT = bracket quantity | width BM = no. of fixing points




Top fixture with shadeplus Pull-out force [N=Newton] per fixture point according to EN 13561, wind resistance class 2

| | | compression-proof substrate | | | | | | | | | | | non compression-proof substrate | | | | | | | | | | | | | |
|----------|----------------------------------|-----------------------------|------|------|------|------|------|------|------|------|--------|-------|---------------------------------|------|------|------|------|--------|-------|------|--|--|--|--|--|--|
| | M [cm] | | | | | | | | | | | | | | M [| cm] | | | | | | | | | | |
| | 250 | 300 | 350 | 400 | 450 | 500 | 550 | 600 | 650 | 700 | 250 | 300 | 350 | 400 | 450 | 500 | 550 | 600 | 650 | 700 | | | | | | |
| H [cm] | | FB [N] | | | | | | | | | | | | | FB | [N] | | | | | | | | | | |
| 150 | 711 | 834 | 958 | 1081 | 1205 | 1329 | 1452 | 1576 | 1699 | 1426 | 736 | 865 | 993 | 1121 | 1249 | 1377 | 1505 | 1633 | 1761 | 1476 | | | | | | |
| 200 | 1054 | 1229 | 1405 | 1581 | 1756 | 1932 | 2107 | 2283 | 2459 | 2164 | 1093 | 1276 | 1458 | 1640 | 1822 | 2004 | 2186 | 2368 | 2550 | 2244 | | | | | | |
| 250 | | 1651 | 1886 | 2121 | 2356 | 2591 | 2826 | 3061 | 3562 | 3167 | | 1714 | 1958 | 2202 | 2446 | 2690 | 2933 | 3177 | 3698 | 3287 | | | | | | |
| 300 | | | 2428 | 2730 | 3031 | 3333 | 3958 | | | 4132 | | | 2521 | 2835 | 3148 | 3462 | 4111 | | | 4290 | | | | | | |
| HT BHT | 2 135 mm 3 135 mm 4 135 mm | | | | | | | | | | 2 13 | 35 mm | | | 3 13 | 5 mm | | 4 13 | 35 mm | | | | | | | |
| BM | | (| 5 | | | | Ð | | 1 | 2 | | | 6 | | | 9 | 9 | | 1 | 2 | | | | | | |

The pull-out force refers to the horizontal centre to centre measurement between the fixture points of 125 mm.

M = overall awning width H = extension FB = pull-out force per fixing point HT |BHT = bracket quantity | width BM = no. of fixing points




Eaves/Roof timber fixture

Pull-out force [N=Newton] for the fixture bracket next to the arm according to EN 13561, wind resistance class 2

| | | Torque | | | | | | | | | | | shear force | | | | | | | | | | | | | |
|--------|---------|--------|-----|-----|------|------|------|------|-----|------|------|--------|-------------|------|-------|-------|-------|-------|-------|-------|--|--|--|--|--|--|
| | | M [cm] | | | | | | | | | | | | | М [| cm] | | | | | | | | | | |
| | 250 | 300 | 350 | 400 | | | 550 | 600 | 650 | 700 | 250 | 300 | 350 | 400 | | | 550 | 600 | 650 | 700 | | | | | | |
| H [cm] | Md [Nm] | | | | | | | | | | | FS [N] | | | | | | | | | | | | | | |
| 150 | 104 | 120 | 136 | 152 | 168 | 184 | 200 | 216 | 232 | 193 | 1282 | 1485 | 1688 | 1891 | 2094 | 2297 | 2499 | 2702 | 2905 | 2490 | | | | | | |
| 200 | 172 | 197 | 222 | 248 | 273 | 298 | 323 | 349 | 374 | 330 | 2035 | 2340 | 2646 | 2951 | 3257 | 3562 | 3867 | 4173 | 4478 | 4018 | | | | | | |
| 250 | | 281 | 317 | 354 | 390 | 427 | 463 | 499 | 605 | 540 | | 3272 | 3701 | 4131 | 4560 | 4989 | 5419 | 5848 | 7046 | 6351 | | | | | | |
| 300 | | | 428 | 478 | 527 | 577 | 710 | 767 | 825 | 741 | | | 4933 | 5508 | 6082 | 6657 | 8165 | 8828 | 9490 | 8584 | | | | | | |
| 350 | | | | 639 | 703 | 872 | 947 | 1022 | 959 | 1015 | | | | 7299 | 8040 | 9934 | 10795 | 11655 | 10976 | 11633 | | | | | | |
| 400 | | | | | 1004 | 1099 | 1195 | | | 1284 | | | | | 11381 | 12466 | 13552 | | | 14617 | | | | | | |
| HT | 2 3 4 | | | | | | | | | | | 2 | | | | 3 | | | 4 | | | | | | | |
| BM | | 8 | 3 | | | 1 | 2 | | 1 | 6 | | ٤ | 3 | | | 1 | 2 | | 1 | 6 | | | | | | |

The shear force are calculated from 2 fixture points per bracket, because depending on the roof pitch it cannot be guaranteed that 4 fixture points per bracket can used.

M = overall awning width H = extension Md = torque value for the bracket next to the arm FS = shear force HT = bracket BM = no. of fixing points




Eaves fixture with additional plate Pull-out force [N=Newton] for the fixture bracket next to the arm according to EN 13561, wind resistance class 2


| | | | | | Tor | que | | | | | shear force | | | | | | | | | | | | | | | |
|--------|-------|---|-----|-----|------|------|------|------|-----|------|-------------|------|------|------|------|-------|------|------|------|------|--|--|--|--|--|--|
| | | M [cm] | | | | | | | | | | | | | М [| cm] | | | | | | | | | | |
| | 250 | 250 300 350 400 450 500 550 600 650 700 | | | | | | | | | | 300 | 350 | 400 | | | 550 | 600 | 650 | 700 | | | | | | |
| H [cm] | | Md [Nm] | | | | | | | | | | | | | FS | [N] | | | | | | | | | | |
| 150 | 104 | 120 | 136 | 152 | 168 | 184 | 200 | 216 | 232 | 193 | 646 | 751 | 856 | 961 | 1066 | 1171 | 1276 | 1381 | 1486 | 1313 | | | | | | |
| 200 | 172 | 197 | 222 | 248 | 273 | 298 | 323 | 349 | 374 | 330 | 984 | 1136 | 1287 | 1438 | 1589 | 1740 | 1892 | 2043 | 2194 | 2001 | | | | | | |
| 250 | | 281 | 317 | 354 | 390 | 427 | 463 | 499 | 605 | 540 | | 1555 | 1762 | 1969 | 2176 | 2383 | 2590 | 2797 | 3350 | 3050 | | | | | | |
| 300 | | | 428 | 478 | 527 | 577 | 710 | 767 | 825 | 741 | | | 2316 | 2588 | 2861 | 31 33 | 3826 | 4137 | 4449 | 4055 | | | | | | |
| 350 | | | | 639 | 703 | 872 | 947 | 1022 | 959 | 1015 | | | | 3394 | 3742 | 4608 | 5009 | 5410 | 5118 | 5427 | | | | | | |
| 400 | | | | | 1004 | 1099 | 1195 | | | 1284 | | | | | 5245 | 5747 | 6250 | | | 6770 | | | | | | |
| HT | 2 3 4 | | | | | | | | | | i | 2 | | | | 3 | | | 4 | | | | | | | |
| BM | | | 4 | | | (| 5 | | 1 | 8 | | | 4 | | | | 6 | | | 8 | | | | | | |

By using the additional flat plate, the shear force is reduced in comparison with conventional eaves fixture.


M = overall awning width H = extension Md = torque value for the bracket next to the arm FS = shear force HT = bracket BM = no. of fixing points




bottom fixture



dimensions at pitches of 38° to 65°



Bracket range for awnings with 2 folding arms



| M [cm] | [cm] SB | | 250 | 300 | 350 | 400 | 450 | 500 | 550 | 600 | 650 | | | |
|----------|---------------------|--------|-------|---------|---------|---------|---------|---------|---------|---------|---------|--|--|--|
| in [cin] | ZB | | 250 | 251-300 | 301-350 | 351-400 | 401-450 | 451-500 | 501-550 | 551-600 | 601-650 | | | |
| | | | | A [cm] | | | | | | | | | | |
| | 150 | | 190 - | 230 | 270 | 300 | 340 | 380 | 440 | 490 | 510 | | | |
| | | 200 | 220 🔺 | 230 ■ | 270 | 300 | 340 | 380 | 440 | 490 | 510 | | | |
| H [cm] |] <u>250</u> 300 | | | 270 🔺 | 270 ■ | 300 | 340 | 390 | 440 | 490 | 510 | | | |
| | | | | | 320 🔺 | 340 🗖 | 340 | 390 | 440 | 490 | 510 A | | | |
| | | 350 | | | | 370 🔺 | 390 - | 390 | 440 | 490 | | | | |
| | | 400 | | | | | 420 🔺 | 435 🔺 | 440 ∎ | | | | | |
| W | внт | 150 mm | | 2 | 2 | | 3 | | | | | | | |
| DE/DA | ΗT | 135 mm | | 2 | 2 | | 3 | | | | | | | |

dimensions in cm


 \blacktriangle = coupled units not available with junction roller

= coupled units are only available with junction roller in the standard widths, in other widths on request

M = overall awning width A = arm position HT = bracket MB = range for bracket fixture LR = Rolltex bearing with bracket is always situated under the central seam (only at an extension of 400 cm) H = extension SB = standard width ZB = intermediate width W = face fixture DE/DA = top fixture and eaves fixture HT | BHT = bracket quantity | width

If the brackets cannot be positioned in accordance with this table, make sure the actual measurements are noted on the order form!

Bracket range for awnings with 3 folding arms



| dir | nens | ions | in | cm |
|-----|------|------|----|----|
| | | | | |

| M [cm] | | SB | | 65 | 50 | | 700 | | | | | | | | | |
|--------|-----|-------|--------|--------|--------|--------|---------|--------|---------|--------|---------|--------|----------|-----------|--|--|
| M [cm] | | ZB | 601 | -650 | 650 | | 651-674 | | 675-700 | | 651-692 | | 693-700 | | | |
| | | | A [cm] | B [cm] | A [cm] | B [cm] | A [cm] | B [cm] | A [cm] | B [cm] | A [cm] | B [cm] | A [cm] | B [cm] | | |
| | | 150 | | | | | 570 | 265 | 590 | 265 | | | | | | |
| | | 200 | | | | | 570 | 240 | 590 | 240 | | | | | | |
| H [cm] | | 250 | | | | | 570 | 230 | 590 | 230 | | | | | | |
| | | 300 | 570 🔺 | 230 🔺 | | | 570 | 230 | 590 | 230 | | | | | | |
| | | 350 | | | 620 🔺 | 220 🔺 | | | | | 620 🔺 | 225 🔺 | 620 | 225 | | |
| | | 400 | | | | | | | | | | | 670 • | 234 • | | |
| w | BHT | 150mm | | | | | | 4 | 4 | | | | | | | |
| DE/DA | Η | 135mm | | | | | | 4 | 4 | | | | | | | |
| | | | | | | | | | | | | | dimensio | ons in cm | | |

 \blacktriangle = coupled units not available with junction roller

• = no coupled units possible

M = overall awning width A = arm position B = arm position HT = bracket MB = range for bracket fixture LR = Rolltex bearing with bracket is always situated under the central seam (depends on the width) H = extension SB = standard width ZB = intermediate width W = face fixture DE/DA = top fixture and eaves fixture HT | BHT = bracket quantity | width

If the brackets cannot be positioned in accordance with this table, make sure the actual measurements are noted on the order form!